

REFERENCIAS

El Niño Que Camina En La Punta Del Pie Correlacionando El Diagnóstico Con El Valor De La Intervención Temprana

1. Alvarez C, De vera M, Beauchamp R, et al. Classification of idiopathic toe walking based on gait analysis: development and application of the ITW severity classification. *Gait Posture*. 2007; 26:428-435.
2. Blanche, E, Bodison, S., Chang, M. C., & Reinoso, G. (2012). Development of the comprehensive observations of proprioception (COP): Validity, reliability, and factor analysis. *American Journal of Occupational Therapy*, 66, 691–698.
3. Brouwer B, Davidson LK, Olney SJ. Serial casting in idiopathic toe-walkers and children with spastic cerebral palsy. *J Pediatr Orthop*. 2000;20(2):221- 225.
4. Burns, J. and Crosbie, J. (2005). Weight Bearing Ankle Dorsiflexion Range of Motion in Idiopathic Pes Cavus Compared to Normal and Pes Planus Feet. *The Foot* 15.2 (2005): 91-94.
5. Brausch, S., LeCras, S., Muir, N., and Bouck, J. (2017) APTACSM presentation on Idiopathic Toe Walking Evidence Updates, San Antonio, TX
6. Christensen C, Haddad A, Maus E. (2017). Reliability and validity of the 50-ft walk test for idiopathic toe walking. *Pediatric Physical Therapy*; 29(3): 238-243.
7. Clark E, Sweeney JK, Yocum A, McCoy SW (2010). Effects of motor control intervention for children with idiopathic toe walking: a 5-case series. *Pediatr PhysTher*. 22:417-426
8. Crenna P, Fedrizzi E, Andreucci E, Frigo C, Bono R. The heel-contact gait pattern of habitual toe walkers. *Gait & Posture*. 2004; 21(3): 311-317.
9. Dietz G, Khunsree S. Idiopathic toe walking: to treat or not to treat, that is the question. *Iowa Orthop J*. 2012; 32:184-188.
10. Eastwood DM, Dennett X, Shield LK, Dickens DR. Muscle abnormalities in idiopathic toe-walkers. *J Pediatr Orthop B*, 1997; 6(3): 215-8.
11. Engelbert R, Willem Gorter J, Uiterwaal C, van de Putte E, Helden P. Idiopathic toe-walking in children, adolescents and young adults: a matter of local or generalized stiffness? *BMC Musculoskel Dis*. 2011; 12:61.
12. Engstrom P, Gutierrez-Farewik EM, Bartonek A, Tedroff K, Orefelt C, Haglund-Akerlind Y. Does botulinum toxin A improve the walking pattern in children with idiopathic toe-walking? *Journal of Children's Orthopaedics*. 2010; 4(4): 301-8.
13. Fanchiang, H. D., Geil, M., Wu, J., Chen, Y., & Wang, Y. T. (2014). The effects of vibration on the gait pattern and vibration perception threshold of children with idiopathic toe walking. *Journal of Child Neurology*, 30(8), 1010-1016.
14. Fox A, Deakin S, Pettigrew G, Paton R. Serial casting in the treatment of idiopathic toe-walkers and review of the literature. *Acta Paediatrica Belgica*. 2006; 72(6): 722-730.
15. Ganley KJ, Behnke C. (2016). Distal vibration perception threshold in children who toe walk. *Pediatric Physical Therapy*, 28(2), 187- 191.

16. Goddard, S. (2005). Reflexes, learning, and behavior: A window into the child's mind: A non-invasive approach to solving learning and behavior problems. Oregon: Fern Ridge Press.
17. Gregory-Flock, J.L., Yerxa, E.J., (1984). Standardization of the prone extension postural test on children ages 4 through 8. American Journal of Occupational Therapy, 38, 187-194.
18. Griffin PP, Wheelhouse WW, Shiavi R, Bass W. Habitual toe-walkers: a clinical and electromyographic gait analysis. J Bone Joint Surg Am. 1977;59(1):97-101.
19. Harrin, K., & Geil, M. (2016). A comparison of orthoses in the treatment of idiopathic toe walking: A randomized controlled trial. Prosthetics and Orthotics International, 40(2), 262–269. <https://doi.org/10.1177/0309364614564023>
20. Hickman, L., Hutchins, R. (2010). Eye games: Easy and fun visual exercises. Texas: Sensory World.
21. Hirsch G, Wagner B. The natural history of idiopathic toe-walking: a long-term follow-up in fourteen conservatively treated children. Acta Paediatr. 2004; 93:196-199.
22. Hubert, B., (2014). Bal-A-Vis-X: Balance/auditory/vision exercises for brain and brain-body Integration. Kansas: Bal-A-Vis-X, Inc..A. (2005).
23. Developing ocular motor and visual perceptual skills: An activity workbook. New Jersey: Slack Incorporated.
24. Kiebzak, and Ryszard Plinta. "Effect of a Nonsurgical Treatment Program on the Gait Pattern of Idiopathic Toe Walking: A Case Report." Therapeutics and Clinical Risk Management TCRM (2016): 139.
25. Lara, SL, Caballero IM, Lorenzo TM, Saiz BM, Mussin, EMP, Moreno, APS, Barragan, AR. (2016). Conservative treatment of idiopathic toe walking. Gait and Posture. In press.
26. Le Cras S, Bouck J, Brausch S, Taylor-Haas A; Cincinnati Children's Hospital Medical Center: Evidence-based clinical care guideline for management of idiopathic toe walking, <http://www.cincinnatichildrens.org/svc/alpha/h/health-policy/otpt.htm>, Guideline 040, pages 1-17, February 15, 2011.
27. Lane, KLen, .Y., Rao, S. (2012). 5 Case series- idiopathic toe walking and sensory processing dysfunction. Poster session presented at the American Physical Therapy Association Combined Sections Meeting, Illinois.
28. Leung, J., Smith, R., Harvey, L. A., Moseley, A. M., & Chapparo, J. (2014). The impact of simulated ankle plantarflexion contracture on the knee joint during stance phase of gait: A within-subject study. Clinical Biomechanics, 29(4), 423– 428. <https://doi.org/10.1016/j.clinbiomech.2014.01.009>
29. Mackey AH, Lobb GL, Walt SE, Stott NS. Reliability and validity of the Observational Gait Scale in children with spastic diplegia. Dev Med Child Neurol. 2003;45(1):4-11.
30. McMulkin ML, Gordon AB, Tompkins BJ, Caskey PM, Baird GO. Long term gait outcomes of surgically treated idiopathic toe walkers. Gait Posture. 2016; 44, 216-220.
31. Mailloux, Z., Leaño, M., Becerra, T. A., Mori, A. B., Soechting, E., Roley, S. S., Buss, N., Cermak, S. A. (2014). Modification of the postrotary nystagmus test for evaluating young children. American Journal of Occupational Therapy, 68, 514–521.
32. Marcus A, Sinnott B, Bradley S, Grey I. Treatment of idiopathic toe-walking in children with autism using GaitSpotAuditory Speakers and simplified habit reversal. Res Autism Spect Dis. 2010; 4:260-267. doi: 10.1016/j.rasd.2009.09.012.

33. Montgomery P, Gauger J. (1978). Sensory Dysfunction in children who toe walk. *Physical Therapy*, 58, 1195-1204. Martín-Casas, P., Ballester-Pérez, R., Meneses-Monroy, A., Beneit-Montesinos, J. V., Atín-Arratibel, M. A., & PortellanoPérez, J. A. (2016)
34. Neurodevelopment in preschool idiopathic toe-walkers. *Neurologia* (Barcelona, Spain). <https://doi.org/10.1016/j.nrl.2016.02.012>
35. Morris, C., K. Liabo, P. Wright, and R. Fitzpatrick. "Development of the Oxford Ankle Foot Questionnaire: Finding out How Children Are Affected by Foot and Ankle Problems." *Child: Care, Health and Development Child Care Health Dev* 33.5 (2007): 559-68.
36. O'Connor, S.M., Kuo, A.D. (2009). Direction-dependent control of balance during walking and standing. *Journal of Neurophysiology*, 102. 1411-1419 Persaud, L. (2015)
37. Williams, C. M., Tinley, P., & Curtin, M. (2010). Idiopathic toe walking and sensory processing dysfunction. *Journal of Foot and Ankle Research*, 3(1).
38. Williams, C. M., Tinley, P., Curtin, M., & Nielsen, S. (2012). Vibration Perception Thresholds in Children With Idiopathic Toe Walking Gait. *Journal of Child Neurology*, 27(8), 1017-1021.
39. Williams, C. M., Tinley, P., Curtin, M., Wakefield, S., & Nielsen, S. (2014).
40. Is Idiopathic Toe Walking Really Idiopathic? The Motor Skills and Sensory Processing Abilities Associated With Idiopathic Toe Walking Gait. *Journal of Child Neurology*, 29(1), 71-78. Williams CM, Tinley P, Curtin M. (2010).
41. The Toe Walking Tool: a novel method for assessing idiopathic toe walking children. *Gait Posture*, 32(4), 508-511. Williams CM, Tinley P, Rawicki B. (2014).
42. Idiopathic toe-walking: ¿have we progressed in our knowledge of the causality and treatment of this gait type? *Journal of the American Podiatric Medical Association*, 104(3), 253- 262.